

What is a datasafe 12hx330 Fr battery?

Loading... EnerSys DataSafe 12HX330-FR valve regulated lead acid batteries have been designed to offer superior solutions for the Information Technology and Uninterruptible Power Supply markets. DataSafe HX batteries are the ideal source of power to protect vital systems.

What is a datasafe 12hx330-fr valve regulated lead acid battery?

OEM product. EnerSys DataSafe 12HX330-FR valve regulated lead acid batteries have been designed to offer superior solutions for the Information Technology and Uninterruptible Power Supply markets. DataSafe HX batteries are the ideal source of power to protect vital systems.

Is the datasafe HX 12hx330 safe?

This International Air Transport Authority (IATA) approved, UL standard-meeting battery combines 12V with a minimum level of gas evolution. The DataSafe HX 12HX330 is safe enough to use in offices and cabinets. The DataSafe HX 12HX330 features positively and negatively charged lead-calcium-tin alloy plate grids.

12HX330-FR EnerSys 12V 82Ah 336W Battery. Rating * Name Email * Review Subject * Comments *
×. Recommended. Quick view Details. sku: 12HX680F-FR. 12HX680F-FR EnerSys Datasafe 12V
Battery. \$615.00. Add to Cart. Quick ...

The DataSafe® HX top terminal battery range of Valve Regulated Lead Acid (VRLA) batteries has been designed to offer superior solutions for the Information Technology (IT) and ...

BATERÍAS DATASAFE 12HX330-FR 12V 82AH DATASAFE 12HX330-FR BATTERY 12V 82Ah
336W. Peso 32 kg Dimensiones 29.9 × 17.2 × 21.3 cm Equipos Compatibles Alarmas, Equipos
contra Incendios, Equipos Médicos, Telecomunicaciones, Ups, ...

EnerSys DataSafe 12HX150-FR valve regulated lead acid batteries have been designed to offer superior solutions for the Information Technology and Uninterruptible Power Supply markets. DataSafe 12HX150-FR batteries are the ideal source of power to protect vital systems. DataSafe HX batteries incorporate select design features that maximize reliability while ensuring superior ...

Find the lowest price online price for the EnerSys DataSafe 12HX505-FR 12V Battery with Hardware Pack HW867500 (Group 31). Fast, free shipping for all non-spillable batteries. ... EnerSys DataSafe 12HX330-FR 12V Battery with Hardware Pack HW867500 (Group 27) EnerSys EnerSys DataSafe 12HX300-FR 12V Battery with Hardware Pack HW867500 (Group 24)

A live battery specialist will get back to you within 24 hours. Warranty: Our EnerSys battery is covered under a one-year free replacement warranty directly through High-Tech Battery Solutions, Inc. EnerSys - 12HX330-FR Battery ...

Battery Model Maximum Charging Current (Amps) Maximum Allowable Ripple Current (Amps RMS)
 12HX205-FR 11.0 2.1 12HX300-FR 18.0 3.5 12HX330-FR 21.0 4.1 12HX400-FR 24.0 4.7 12HX505-FR
 30.0 5.9 12HX540-FR 31.0 6.1 Charging Current The recommended charging method for DataSafe HX
 batteries is current limited, constant voltage charging.

This is a genuine EnerSys HX 12HX330 rechargeable sealed lead acid battery with high-rate discharge design that guarantees an excellent performance in UPS applications. The genuine EnerSys HX 12HX330 UPS battery has 370 Watts per cell on 15-min rate at 1.67 Volts. With a self-discharge rate of less than 3% per month, the genuine EnerSys HX 12HX330 UPS battery ...

12HX330-FR Features and Benefits: Designed Specifically for UPS applications; Electrochemistry optimized for high rate performance; Design life of 10 years; Flame retardant case and cover to meet UL1778; EnerSys Datasafe 12HX330 ...

EnerSys DataSafe 12HX330-FR batteries deliver superior performance, occupying less space than conventional standby power batteries. This range of valve regulated lead acid batteries ...

EnerSys DataSafe 12HX300-FR valve regulated lead acid batteries have been designed to offer superior solutions for the Information Technology and Uninterruptible Power Supply markets. DataSafe 12HX300-FR batteries are the ideal source of power to protect vital systems. DataSafe HX batteries incorporate select design features that maximize reliability while ensuring superior ...

Find a Battery. Find a Location. Order Online. 12HX330-FR Back Up Power. Get Quote Check stock at your local store. Specifications. Item 12HX330-FR; Voltage 12; Length (in.) 11.8; Width (in.) 6.8; Height (in.) 8.4; Brand EnerSys; Find a Location Location. Search

12HX330-FR Features and Benefits: Designed Specifically for UPS applications; Electrochemistry optimized for high rate performance; Design life of 10 years; Flame retardant case and cover to meet UL1778; 12 Volt 82 Amp hour - ...

12HX330-FR Components from ENERSYS 2-Year Warranty - 12HX330-FR IS THE BATTERY. Shop Online . Search Product. Advanced Search; Global Parts Search; ... 12HX330-FR IS THE BATTERY; FACTORY WARRANTY MAY NOT APPLY. RADWELL 2-YEAR WARRANTY INCLUDED; Specifications. Part # 12HX330-FR: Category: Components: ...

This is a compatible replacement EnerSys 12HX330 rechargeable sealed lead acid battery with high-rate discharge design that guarantees an excellent performance in UPS applications. The replacement EnerSys 12HX330 UPS battery has 370 Watts per cell on 15-min rate at 1.67 Volts. With a self-discharge rate of less than 3% per month, the replacement EnerSys 12HX330 UPS ...

The EnerSys 12HX330 DataSafe Battery is a valve-regulated lead-acid battery designed to offer superior solutions for the Information Technology and Uninterruptible Power Supply markets. DataSafe HX batteries are the ideal ...

EnerSys DataSafe 12HX330-FR The DataSafe 12HX330-FR battery is a part of the EnerSys HX range of valve regulated lead acid (VRLA) batteries. EnerSys incorporates specific design features for superior performance and low maintenance. For instance, one of its key features being that it is UL94 flame retardant (case and c...

The DataSafe® HX top terminal battery range of Valve Regulated Lead Acid (VRLA) batteries has been designed to offer superior solutions for the Information Technology (IT) and Uninterruptible ... 12HX330-FR 12 83 336 11.8 300 6.8 173 8.4 213 71.0 32.2 3700 3.4 1 D 1.25 4.73 13.54 6.14

The DataSafe 12HX330-FR battery is a part of the EnerSys HX range of valve regulated lead acid (VRLA) batteries. EnerSys incorporates specific design features for superior performance and ...

The DataSafe® HX top terminal battery range of Valve Regulated Lead Acid (VRLA) batteries has been designed to offer superior solutions for the ... 12HX330-FR 652 437 336 276 206 150 120 12HX400-FR 739 500 381 313 232 170 136 12HX505-FR 941 675 511 412 301 218 173 12HX540-FR 995 715 550 446 326 236 186 Standby Time (Minutes)

The DataSafe HX 12HX330 is suited to low-ventilation, high-rate applications and vital systems. This International Air Transport Authority (IATA) approved, UL standard-meeting battery combines 12V with a minimum level of gas evolution. ...

Find the lowest price online price for the EnerSys DataSafe 12HX330-FR 12V Battery with Hardware Pack HW867500 (Group 27). Fast, free shipping for all non-spillable batteries.

The EnerSys DataSafe 12HX330 is a top terminated valve regulated lead acid battery that is designed for Information Technology & Uninterruptible Power Supply (UPS) applications. ...

Battery Type 5 101520 30 45 60 Standby Time (Minutes) DataSafe HX+ Battery Type 5 101520 30 45 60 Standby Time (Minutes) DataSafe HX+ Battery Type 5 101520 30 45 60 Standby Time (Minutes) DataSafe HX Battery Type 5 101520 30 45 60 12HX360+ 659.3462.8360.4297.0219.9 158.6 125.3 12HX420+ 769.4540.1420.5346.6256.6 185.0 146.2

DataSafe 12HX1000F-FR Battery Systems Range Summary. Product Literature. 08/2020. EN Download 05/2012. DataSafe 12HX680F-FR Front Terminal Battery Range Summary. Product Literature. 05/2012. EN Download 03/2013. DataSafe HX & HX Plus Installation & Operation Manual. Manuals. 03/2013. RU Download ...

12HX330. Terminal: Recessed M6. Terminal Layout: Case Material: Flame Retardant ABS Plastic. UPC Code: Manufacturers Model # 12HX330FR. Manufacturers SKU: 12HX330FR. ... Be the first to review "EnerSys DataSafe 12HX330FR Lead Acid Battery" Cancel reply. Your email address will not be published.

ENERSYS DATASAFE® 12HX300-FR BATTERIES. Power Storage Solutions is a premier platinum stocking Distributor for the Datasafe 12HX300 batteries. We maintain the batteries in a climate controlled environment, then charge and test each unit prior to shipment.

12HX330-FR Specifications. Voltage: 12 volt, 82 AH Terminal Type: Threaded Receptacle Normal operating temperature range -22F/-30C to 122F/50C Float charging voltage 2.25 - 2.28 Volts per cell at 77F/25C Charging current - can be safely recharged at high current rates Flame retardant case and cover meet UL 1778. 12HX330-FR Construction

Battery Type 5 101520 30 45 60 Standby Time (Minutes) DataSafe HX+ Battery Type 5 101520 30 45 60 Standby Time (Minutes) DataSafe HX+ Battery Type 5 101520 30 45 60 Standby Time (Minutes) DataSafe HX Battery Type 5 101520 30 45 60 12HX385+ 625.1466.9369.8305.7228.2 168.0 132.7 12HX450+ 729.9544.9431.5356.7266.2 195.9 154.7

EnerSys DataSafe 12HX330-FR Battery 12v 336W \$ 1,152.90 Original price was: \$1,152.90. \$ 691.74 Current price is: \$691.74. In stock. Ships in 5-10 days - Available Online Only. ... EnerSys DataSafe 12HX330-FR valve regulated lead acid batteries have been designed to offer superior solutions for the Information Technology and Uninterruptible ...

HX330 by Enersys battery sales support call (888) 330-2538. Power Pros provides expert sales and support on Enersys batteries. ... SKU: 12HX330-FR . Shipping: Freight - Call 888-330-2538 for Rates. Qty: Email a Friend

ENERSYS DATASAFE® 12HX330-FR FEATURES AND BENEFITS o Flame retardant case and cover(UL94) to meet UL1778 o Self-resealing, flame-arresting vents o Battery containers and covers are ...

Web: <https://www.fitness-barbara.wroclaw.pl>

12hx330 fr battery Maldives



- ✓ LIQUID/AIR COOLING
- ✓ ON GRID/HYBRID
- ✓ PROTECTION IP54/IP55
- ✓ BATTERY /6000 CYCLES