

Are Ni-based oxides a promising material for aqueous energy storage systems?

Ni-based oxides/hydroxides are believed to be greatly promising materials for aqueous energy storage systems due to their active valence transformation, which enables multiple redox reactions in aqueous media.

What is the specific capacity of $\text{Co}_3\text{O}_4 @ \text{NiO}$ NSRAs?

The $\text{Co}_3\text{O}_4 @ \text{NiO}$ NSRAs exhibit ultrahigh specific capacity of $\sim 242.4 \text{ mAh} \cdot \text{g}^{-1}$ at $5 \text{ mA} \cdot \text{cm}^{-2}$, good rate capability ($\sim 60.5\%$) and excellent long-term cycle performance (with only $\sim 4\%$ capacity loss over 1000 cycles) in a strong alkaline electrolyte (containing $6 \text{ mol} \cdot \text{L}^{-1} \text{ KOH}$).

What is the function of Ni-Zn battery with $\text{Co}_3\text{O}_4 @ \text{NiO}$ NSRAs?

The Ni-Zn battery with $\text{Co}_3\text{O}_4 @ \text{NiO}$ NSRAs functions as an advanced cathode material, which can deliver comparable or higher power and energy densities in comparison with other reported aqueous batteries.

What is the band gap energy of $\text{Ce-Ni-Cu} @ \text{MOF}$ nanomaterial?

Nonetheless, in this study, the as-synthesized $\text{Ce-Ni-Cu} @ \text{MOF}$ nanomaterial exhibited the band gap energy as 3.13 eV , demonstrating improved photo emission characteristics and expected to be well-suited for energy storage applications. The dielectric properties were studied in impedance analyzer in the frequency range of 100 Hz to 5 MHz .

What is the band gap energy of $\text{NiO} \& \text{CeO}_2$?

According to literature, the band gap energies of pure NiO , CeO_2 , and CuO are reported as $(3.6\text{--}4 \text{ eV})$, $(3.2\text{--}3.4 \text{ eV})$, and 4.59 eV , respectively. Nonetheless, the composite of these metal oxides results in a decrease in band gap energy, i.e., 3.13 eV , aligning it in the range of the visible region.

What is $\text{Ni}_3\text{S}_2 \text{ nanorod} @ \text{Ni}(\text{OH})_2$?

The article discusses the synthesis of $\text{Ni}_3\text{S}_2 \text{ nanorod} @ \text{Ni}(\text{OH})_2$ core-shell nanostructures on a three-dimensional graphene network for high-performance supercapacitors.

The escalating need for energy on a global scale and the necessity for sustainable energy solutions have spurred the advancement of sophisticated energy storage devices. This ...

Read the latest articles of Energy Storage Materials at ScienceDirect, Elsevier's leading platform of peer-reviewed scholarly literature ... Jun-Wei Zhang, Jin-Long Sun, Dong-Ni Zhao, Yan-Jun Zhao, ... Xiao-Ling Cui. Article 103698 View PDF. ... select article Phase compatible surface engineering to boost the cycling stability of single ...

We develop a 3D nanowire-supported Cu network through electrodeposition of an active metal layer (NiZn alloy and Fe) to grow NiZn-phytate and Fe-phytate nanostructures as the anode and cathode, respectively, of a flexible energy ...

Next-generation concentrated solar power plants with high-temperature energy storage requirements stimulate the pursuit of advanced thermochemical energy storage materials. Copper oxide emerges as an ...

A Novel Ni-rich $\text{O}_3\text{-Na}[\text{Ni}_{0.60}\text{Fe}_{0.25}\text{Mn}_{0.15}]\text{O}_2$ Cathode for Na-ion Batteries Feixiang Ding^{a,b,#}, Chenglong Zhao^{a,b #}, Dong Zhou^c, Qingshi Meng^{a,b}, Dongdong Xiao^d, Qiangqiang Zhang^{a,b}, Yaoshen Niu^{a,b}, Yuqi Li^{a,b}, Xiaohui Rong^{a,b,**}, Yaxiang Lua^{a,e,***}, Liquan Chen^{a,e}, Yong-Sheng Hua^{a,b,e} * a Key Laboratory for Renewable Energy, Beijing Key ...

All solid state batteries (ASSBs) are regarded as promising next-generation energy storage systems that have the potential to achieve both high energy density and improved ...

Transition metal (Fe, Co, Ni) fluoride-based materials for electrochemical energy storage. Nannan Zhang⁺, Xiao Xiao⁺ and Huan Pang * School of Chemistry and Chemical Engineering, Institute for Innovative Materials and Energy, ...

Transition-metal (Fe, Co, Ni) based metal-organic framework materials with controllable structures, large surface areas and adjustable pore sizes have attracted wide research interest for use in next-generation electrochemical energy-storage devices.

Toward the Proper Selection of Carbon Electrode Materials for Energy Storage Applications: Experimental and Theoretical Insights. Energy & Fuels 2021, 35 (16 ... Weiliang Zhou, Dijun Shen, Qian Yang, Shengfu Xiao, Yunyong Li. Ni/Co-MOF@aminated MXene hierarchical electrodes for high-stability supercapacitors. Chemical Engineering Journal 2023 ...

Nitrogen-doped carbon encapsulating iron-doped $\text{Co}_{0.5}\text{Ni}_{0.5}$ alloy derived from MOF-on-MOF as a bifunctional oxygen electrocatalyst ... demonstrating its potential to replace ...

Read the latest articles of Energy Storage Materials at ScienceDirect , Elsevier's leading platform of peer-reviewed scholarly literature ... select article Nanosized $\text{Fe}_{1-x}\text{Ni}_x\text{P}$ embedded phosphorus-doped carbon nanorods with superior lithium storage performance. ... Zhubing Xiao, Liuyi Li, Yujiao Tang, Zhibin Cheng ...

We develop a 3D nanowire-supported Cu network through electrodepositing an active metal layer (NiZn alloy and Fe) to grow NiZn -phytate and Fe-phytate ...

Ni-rich layered oxide ($\text{LiNi}_x\text{Mn}_y\text{Co}_z\text{O}_2$ (NMC), $x \geq 60\%$), one of the most promising cathode materials for high-energy lithium ion batteries (LIBs), still suffers from surface instability even with the state-of-art protective coatings, which normally are limited to ≤ 10 nm to maintain the required kinetics. Here we demonstrate a highly conductive protective layer with ...

MAILING ADDRESS University of Science and Technology of China School of Engineering Science
HuangShan Road 443, ShuShan District, HeFei City, AnHui Province, China

Sulfide based all solid state batteries (ASSBs) with Ni-rich layered oxide cathode are one of the most promising next-generation battery technologies due to their high energy ...

A promising energy storage system: rechargeable Ni-Zn battery. / Lai, Shi-Bin; Jamesh, Mohammed-Ibrahim; Wu, Xiao-Chao et al. In: Rare Metals, Vol. 36, No. 5, 01.05.2017, p. 381-396. Research output: Journal Publications and Reviews > RGC 62 - Review of books or of software (or similar publications/items) > peer-review

Moreover, TABQ shows stronger binding energy than Ni-BTA and BTA, ... Yingbo Xiao, Yucui Xiang and Sijia Guo contributed equally to this work. ... (No. 2019A1515010842) and the Guangzhou Key Laboratory of Low Dimensional Materials and Energy Storage Devices (20195010002). The authors would also like to thank Analysis and Test Center of ...

A high-voltage and low-solvating electrolyte towards promising micro-Si/Ni-rich NMC full cells Energy Storage Materials (IF 18.9) Pub Date : 2024-02-21, DOI: 10.1016/j.ensm.2024.103258

In this study, we tried to build pure B33 <-> B33? reactions to eliminate the severe capacity fading in ZrCo-based alloys via Nb and Ni co-substituting strategy, and ultralong cycle life as well as remarkable capacity were achieved for hydrogen isotope storage by building homogeneous structural phase transformation reaction in Zr 1-x Nb x Co ...

Methods to synthesize transition metal (Fe, Co, Ni) fluoride materials and their applications in batteries and supercapacitors are introduced and the current challenges and future opportunities of iron fluoride in electrochemistry are presented. The improvement of advanced battery performance has always been a key issue in energy research. Therefore, it is ...

Dong Zhou, De Ning, Jun Wang, Jiahua Liu, Gaoyuan Zhang, Yinguo Xiao, Jiaxin Zheng, Yongli Li*, Jie Li*, and Xinzhi Liu*, Clarification of underneath capacity loss for O3-type Ni, Co free layered cathodes at high voltage for sodium ion batteries, J. Energy Chem.

Sustainable and renewable energy is extremely demanding due to the excessive consumption of fossil fuels, such as H₂, solar, wind, geothermal energy, and hydropower. However, these sources are considered as the intermittent energy, which means energy storage and conversion systems need to be attached much importance to cultivate ...

Rechargeable Ni-Zn batteries (RNZBs), delivering high power density in aqueous electrolytes with stable cycle performance, are expected to be promising candidates to ...

Energy Storage Materials, 2018, 13, 160-167. Panpan Li, Zhaoyu Jin, Dan Xiao *. Three-Dimensional Nanotube-Array Anode Enables A Flexible Ni/Zn Fibrous Battery to Ultrafast Charge and Discharge in Seconds. Energy Storage Materials, 2018, 12, 232-240. *.

Synthesis of high-performance single crystal Ni-rich NMC, especially when $Ni \geq 0.8$, poses a challenge. A conflict exists because as Ni content increase in NMC811, a lower calcination temperature is preferred due to Ni reduction at elevated temperatures, while high temperatures favour single crystal growth [18]. Therefore, molten salt is sometimes employed ...

A promising energy storage system: rechargeable Ni-Zn battery. / Lai, Shi-Bin; Jamesh, Mohammed-Ibrahim; Wu, Xiao-Chao et al. In: Rare Metals, Vol. 36, No. 5, 01.05.2017, p. 381 ...

Simultaneous Single Crystal Growth and Segregation of Ni-Rich Cathode Enabled by Nanoscale Phase Separation for Advanced Lithium-Ion Batteries ... and segregation provides a new direction for large-scale synthesis of a broad range of single crystals for advanced energy storage. Graphical Abstract ... Jie Xiao has patent #US20210351404A1 pending ...

The LDH/GO composites showed excellent performance in energy storage, e.g., a high specific capacitance of 1031 F/g at a current density of 1 A/g and a high energy density of 7.7 W h/kg at power density of 4.8 kW/kg. The high performance was attributed to the fact that face-to-face assembly of the CoAl LDH nanosheets and GO maximized the area ...

With the development of population and industrial technology, the demand for energy in today's world is increasing [1]. Traditional energy such as coal and oil, due to their non-renewability and large amounts of carbon dioxide and other pollutants produced in the combustion process, make people urgently need to find a new sustainable green energy [2].

Lithium ion batteries (LIBs) have been widely used in electronic devices, and are gaining momentum in electrical vehicles and stationary energy storage [1]. With an ever increasing demand for higher energy density of LIBs, safety issues are becoming increasingly prominent [2]. All solid state batteries (ASSBs) are regarded as promising next-generation energy storage ...

The Ni-25%X (X=Fe, Co, Cu, molar fraction) solid solutions were prepared and then doped into MgH₂ through high-energy ball milling. The initial dehydrogenation temperatures of MgH₂/Ni-25%X composites are all decreased by about 90 °C relative to the as-milled pristine MgH₂. The Ni-25%Co solid solution exhibits the most excellent catalytic effect, and the milled ...

Transition-metal (Fe, Co, Ni) fluoride-based materials exhibit excellent chemical tailorability due to their different functional groups, and they have attracted wide research interest for use in next-generation electrochemical energy storage. This review introduces EN ...

Web: <https://www.fitness-barbara.wroclaw.pl>

